

Technical data sheet

7240 siacarat



Status:	Ok
Approval:	17.01.2020

Classification	
	Public series
Product type:	Coated abrasives
Main industries:	Automotive Aerospace Building Interior
Further industries:	Trucks Rail Marine Bus Wind Power Kitchens Sports Equipment

Product profile	
Grit type:	Diamond
Grit range (total):	500; 1000; 2000; 3000
Backing:	Knitted fabric with foam backing
Coating:	Special process
Bonding:	Resin over resin
Special coating:	
Equipment:	


Properties		Technology
Removal rate:	10 - very high	- siafast
Lifetime:	10 - very long	
Finishing:	8 - good	
Flexibility:	10 - highly flexible	
Contact pressure:		



Advantages	
Building Interior:	<ul style="list-style-type: none"> - Extremely long lifetime thanks to state-of-the-art diamond technology - Lasts up to 40 times longer than conventional abrasives - Highly adaptable to contours, curves and profiles - Foam backing equalises pressure and prevents undercutting - Can be used many times
Automotive:	<ul style="list-style-type: none"> - Very high stock removal rates and excellent finish - Low clogging thanks to damp sanding - Lasts up to 40 times longer than conventional abrasives - Highly adaptable to contours, curves and profiles - Pressure-equalising foam gives perfect surface finish - Waterproof and washable - Resistant to silicon remover

Advantages	
Aerospace:	<ul style="list-style-type: none"> - Very high stock removal rates and excellent finish - Low clogging thanks to damp sanding - Lasts up to 40 times longer than conventional abrasives - Highly adaptable to contours, curves and profiles - Pressure-equalising foam gives perfect surface finish - Waterproof and washable - Resistant to silicon remover

Applications	
Building Interior:	
Automotive:	<ul style="list-style-type: none"> - Matt finishing of scratch-resistant coating systems as well as composite materials - Producing a matt finish for blending - Preparation for polishing on high-gloss surfaces
Aerospace:	<ul style="list-style-type: none"> - Scuffing and refining very hard surfaces - Fine sanding of primer filler in hard-to-reach areas - Producing a matt finish for blending - Preparation for polishing on high-gloss surfaces

Material		
Building Interior:	Lacquers Mineral materials	<ul style="list-style-type: none"> ● Scratchproof lacquer ○ Lacquer ● Solid surface material
Automotive:	Composites Lacquers Plastics Plastics	<ul style="list-style-type: none"> ● Composite ● Scratchproof lacquer ● Acrylic glass ● Plastics
Aerospace:	Acrylic glass (Plexiglass) Composites Lacquers Plastics	<ul style="list-style-type: none"> ● Acrylic glass ● Composite ● Scratchproof lacquer ● Plastics

Conversion forms	Upper conversion	Lower conversion
	Discs	- siafast discs

Application	Superordinate group	Subgroup
	Portable machine sanding	random orbital sander
	Manual sanding	Manual sanding
Cut:	Wet sanding	

Technical data sheet

7240 siacarat



Details	
No suitability for:	<ul style="list-style-type: none"> - glass sanding - Stone grinding
Sanding recommendation:	<ul style="list-style-type: none"> - Best results are obtained by damp grinding
Safety recommendation:	<p>Observe the current valid safety recommendations at: www.sia-abrasives.com > Expertise > Safety</p> <ul style="list-style-type: none"> - Pay attention to the abrasives safety data sheet (available from sia Abrasives) - Follow the general FEPA safety recommendations - Use eye and face protection - Use an effective dust extraction unit or wear a fine dust mask

Communication			
Claim:	For finishing scratch-resistant surfaces		
Copy:	Thanks to the coating of the abrasive with diamond abrasive minerals combined with the pressure-damping foam backing, 7240 siacarat is an ideal solution for wet sanding of hard materials in the lacquers, composites and mineral materials segments.		
Image material:	Product Top View (PTV)	Front side: ID	Rear side: ID
	Application image	Building Interior: ID 11887	Automotive: ID 156
		Aerospace: ID 9271	
	Product show:		
	Macro shot:		
	Packaging image:		
	Product group image:	ID 1691	

- Main application
- Secondary application