Technical data sheet 7990 siasponge block hard



Status:	Ok
Approval:	28.05.2024

Classification	Public series
Product type:	Foam abrasives
Main industries:	Building Interior
Further industries:	Kitchens Marine Windows and Doors

Product profile		
Grit type:	Aluminium oxide	
Grit range (total):	36; 60; 100; 180	
Backing:	PU foam (hard)	
Coating:	Mechanical	
Bonding:	Elastic binder	
Special coating:		
Equipment:		

Properties		Technology
Removal rate:	6 - Medium	
Lifetime:	9 - very long	
Finishing:	8 - good	
Flexibility:	5 - Medium	
Contact pressure:	7 - strong	

Advantages		
Building Interior:	 Colour coded for easy identification Low clogging Can be used wet or dry Coated on all four sides, ideal for use inside rebates and on flat surfaces 	

Applications	
Building Interior:	 Sanding off old varnish, paints and stains Sanding off raised wooden fibres Fine sanding of surfaces Sanding off rusted parts Sanding off old paint and varnish Keying surfaces for better paint adhesion Flatting uneven areas Keying or sanding surfaces Keying smoothed surfaces

Technical data sheet 7990 siasponge block hard



Material		
Building Interior:		Melamine sheet
		Plastics
	Bodyfiller	○ Bodyfiller
	Dry wall lining boards	Dry wall lining boards
	Lacquers	NC lacquer
	Lacquers	PU lacquer
	Lacquers	Polyester lacquer
	Lacquers	UV lacquer
	Lacquers	 Water-based lacquer
	Mineral materials	 Solid surface material
	Old lacquer	Old lacquer
	Old paint	Old paint
	Plaster	 Plaster
	Primer filler	Primer filler
	Wood	Hard wood
	Wood	Soft wood

Conversion forms	Upper conversion	Lower conversion
	Foam abrasives	- Blocks

Application	Superordinate group	Subgroup	
	Manual sanding	Manual sanding	
Cut:	Dry application, Wet sanding		

Details	
No suitability for:	
Sanding recommendation:	
Safety recommendation:	Observe the current valid safety recommendations at: www.sia-abrasives.com > Expertise > Safety

Communication	
Claim:	The foam block for quick use
Сору:	Surfaces can be treated quickly and easily with the 7990 siasponge block. This handy sanding block is ready to use at any time and achieves excellent results on wood, plastics, paints, lacquers and also on composites due to its high edge stability.

Technical data sheet 7990 siasponge block hard



Communication			
Image material:	Product Top View (PTV)	Front side:	ID
	·	Rear side:	ID
	Application image	Building Interior:	ID 8155
	Product show:		
	Macro shot:		ID 8197
	Packaging image:		ID 9305
	Product group image:		ID 8156
			ID 7267

Main applicationSecondary application